

5" Eco-Downlight




Non-IC Adjustable New Construction Housing

Round or Square

Wattage	CCT	Delivered Lumens	Efficacy
17W	2700K	1450lm	85lpw
17W	3000K	1550lm	91lpw
30W	2700K	2200lm	73lpw
30W	3000K	2350lm	78lpw
30W	3500K	2500lm	83lpw

Lumens will vary depending on optic, finish & trim type

Dimensions



Field Cuttable
Ceiling Cut-out: 5-1/8" Ø

LED Light Engine

- 17W LED with 2700K or 3000K @ 90 CRI
- 30W LED with 2700K, 3000K or 3500K @ 90 CRI
- 2 SDCM binning
- 50,000 hours at 70% lumen maintenance (L70)

Field Replaceable Dimming Driver

- 17W Low power density (LPD) housings include an universal ELV / Triac driver with 120-277V input
- 30W housings are available with remote Lutron Hi-Lume® or universal 0-10V / ELV / Triac driver

Optics

50° flood optic included (10°, 30° and 80° optic are available, must specify)

Adjustability

359° horizontal rotation and 45° tilt

Housing

- Galvanized-steel plaster frame must be kept 3" from insulation
- Cold rolled steel junction box with black anodized finish, (4) 1/2" and (4) 3/4" trade size knockouts

Mounting

- Includes (2) galvanized steel adjustable bar hangers
- Accommodates ceiling thickness up to 1"

Trim

- Available in round or square aluminum trim, consult factory for custom finishes
- Available in open reflector, baffle, shower or wall wash trims
- Flush mount adapter and trimless mud plate available

Accessories

Accommodates (2) accessories, a media holder is required.

Emergency

Remote inverter operates for 90 minutes with remote test switch available, requires above ceiling access.

Listing/Warranty

- Five (5) year limited warranty
- UL listed to US and Canadian standards for damp locations (wet location when used with shower trim)
- CEC (Title 24) Listed when used with reflector or baffle



Housing Order Matrix (Example: EDL5-NCADJ-27-2)

Installation Type	CCT / CRI	Rev	Wattage / Driver
EDL5-NCADJ (Non-IC)	-27 (2700K / 90 CRI)	-2	(blank) ³ (30W / ERP, Universal Dim, Triac/ELV/0-10V 1% 120-277V)
	-30 (3000K / 90 CRI)		-LPD ² (17W / ERP, Universal Dim, Triac/ELV 1% 120-277V)
	-35 ¹ (3500K / 90 CRI)		

1. Not available with 17W LPD driver

2. Available in 2700K and 3000K only

3. Forward and reverse phase dimming at 120V only

Accessories (Note: Media holder required)

- EDL5-MHLDR-1 (Media Holder - required)
- EDL5-F1-1 (Frosted Lens)
- EDL5-MP-1 (Solite Lens)
- EDL5-CL-1 (Clear Lens)
- EDL5-LN-1 (Linear Spread Lens)

Optics

- EDL5-10-OPTIC-2 (10° Spot)
- EDL5-30-OPTIC-1 (30° Narrow Flood)
- EDL5-50-OPTIC-1 (50° Flood)
- EDL5-80-OPTIC-1 (80° Wide Flood)

Emergency

- EM-1000 (25W LED Remote Inverter)
- EM-1002 (10W LED Remote Emergency Driver)
- EM-1003 (35W LED Remote Inverter)
- EM-1004 (50W LED Remote Inverter)

5" Eco-Downlight Adjustable Accent Reflector

Non-IC Adjustable New Construction Housing

Round or Square

Catalog #:

Type:

Project:

Date:


Notes:

Adjustable Accent Reflector Trim Order Matrix (Example: EDL5-1302-1)

Series	Aperture / Finish	Rev
EDL5	-1300 (Round / Clear Alzak Reflector / White Flange)	-1
	-1301 (Round / Black Alzak Reflector / White Flange)	
	-1302 (Round / Clear Alzak Reflector / Satin Aluminum Flange)	
	-1303 (Round / Black Alzak Reflector / Satin Aluminum Flange)	
	-1304 (Round / Haze Reflector / White Flange)	
	-1305 (Round / Haze Reflector / Satin Aluminum Flange)	
	-1306 (Round / White Reflector / White Flange)	
	-1307 (Round / Bronze Reflector / Bronze Flange)	
	-7000 ¹ (Round / White Reflector / Trimless)	
	-7001 ¹ (Round / Satin Aluminum Reflector / Trimless)	
	-7002 ¹ (Round / Bronze Reflector / Trimless)	
	-7003 ¹ (Round / Black Reflector / Trimless)	
	-1500 (Square / White Reflector / White Flange)	
	-1501 (Square / Black Reflector / White Flange)	
	-1502 (Square / Haze Reflector / White Flange)	
	-1503 (Square / Black Reflector / Satin Aluminum Flange)	
	-1504 (Square / Haze Reflector / Satin Aluminum Flange)	
	-1505 (Square / Bronze Reflector / Bronze Flange)	

1. Requires trimless mud plate, must specify

Dimensions




Flush Mount Adapter

EDL5-RD-FMA (Round Flush Mount Adapter)
EDL5-SQ-FMA (Square Flush Mount Adapter)

Trimless Mud Plate

EDL5-RD-TR-1 (Round Trimless Mud Plate)

Trim Finishes



Revised 10/24/2022

5" Eco-Downlight Open Reflector

Non-IC Adjustable New Construction Housing

Round or Square

Catalog #:

Type:

Project:

Date:


Notes:

Open Reflector Trim Order Matrix (Example: EDL5-1002-1)

Series	Aperture / Finish	Rev
EDL5	-1000 (Round / Clear Alzak Reflector / White Flange)	-1
	-1001 (Round / Black Alzak Reflector / White Flange)	
	-1002 (Round / Clear Alzak Reflector / Satin Aluminum Flange)	
	-1003 (Round / Black Alzak Reflector / Satin Aluminum Flange)	
	-1004 (Round / Haze Reflector / White Flange)	
	-1005 (Round / Haze Reflector / Satin Aluminum Flange)	
	-1006 (Round / White Reflector / White Flange)	
	-5000 ¹ (Round / White Reflector / Trimless)	
	-5001 ¹ (Round / Satin Aluminum Reflector / Trimless)	
	-5002 ¹ (Round / Bronze Reflector / Trimless)	
	-5003 ¹ (Round / Black Reflector / Trimless)	
	-2000 (Square / White Reflector / White Flange)	
	-2001 (Square / Black Reflector / White Flange)	
	-2002 (Square / Haze Reflector / White Flange)	
	-2003 (Square / Black Reflector / Satin Aluminum Flange)	
	-2004 (Square / Haze Reflector / Satin Aluminum Flange)	

1. Requires trimless mud plate, must specify

Dimensions



Flush Mount Adapter

EDL5-RD-FMA (Round Flush Mount Adapter)
EDL5-SQ-FMA (Square Flush Mount Adapter)

Trimless Mud Plate


EDL5-RD-TR-1 (Round Trimless Mud Plate)

Trim Finishes

EDL5-1000-1
Clear Alzak Reflector
White Flange




EDL5-1001-1
Black Alzak Reflector
White Flange




EDL5-1002-1
Clear Alzak Reflector
Satin Aluminum Flange




EDL5-1003-1
Black Alzak Reflector
Satin Aluminum Flange



EDL5-1004-1
Haze Reflector
White Flange




EDL5-1005-1
Haze Reflector
Satin Aluminum Flange




EDL5-1006-1
White Reflector
White Flange



EDL5-5000-1
White Reflector




EDL5-5001-1
Satin Aluminum Reflector




EDL5-5002-1
Bronze Reflector



EDL5-5003-1
Black Alzak Reflector




EDL5-2000-1
White Reflector
White Flange




EDL5-2001-1
Black Reflector
White Flange




EDL5-2002-1
Haze Reflector
White Flange



EDL5-2003-1
Black Reflector
Satin Aluminum Flange



EDL5-2004-1
Haze Reflector
Satin Aluminum Flange



Revised 10/24/2022

5" Eco-Downlight Adjustable Baffle

Non-IC Adjustable New Construction Housing

Round or Square

Catalog #:

Type:

Project:

Date:

Notes:

Adjustable Baffle Trim Order Matrix (Example: EDL5-1402-1)

Series	Aperture / Finish	Rev
EDL5	-1400 (Round / White Baffle / White Flange)	-1
	-1401 (Round / Black Baffle / White Flange)	
	-1402 (Round / Black Baffle / Satin Aluminum Flange)	
	-1403 (Round / Bronze Baffle / Bronze Flange)	
	-7100 ¹ (Round / White Baffle / Trimless)	
	-7101 ¹ (Round / Satin Aluminum Baffle / Trimless)	
	-7102 ¹ (Round / Bronze Baffle / Trimless)	
	-7103 ¹ (Round / Black Baffle / Trimless)	
	-1600 (Square / White Baffle / White Flange)	
	-1601 (Square / Black Baffle / White Flange)	
	-1602 (Square / Black Baffle / Satin Aluminum Flange)	
	-1603 (Square / Bronze Baffle / Bronze Flange)	

1. Requires trimless mud plate, must specify


Flush Mount Adapter

EDL5-RD-FMA (Round Flush Mount Adapter)
EDL5-SQ-FMA (Square Flush Mount Adapter)

Trimless Mud Plate


EDL5-RD-TR-1 (Round Trimless Mud Plate)

Dimensions




Trim Finishes


EDL5-1400-1
White Baffle
White Flange




EDL5-1401-1
Black Baffle
White Flange




EDL5-1402-1
Black Baffle
Satin Aluminum Flange



EDL5-1403-1
Bronze Baffle
Bronze Flange




EDL5-7100-1
White Baffle




EDL5-7101-1
Satin Aluminum Baffle



EDL5-7102-1
Bronze Baffle



EDL5-7103-1
Black Baffle



EDL5-1600-1
White Baffle
White Flange




EDL5-1601-1
Black Baffle
White Flange



EDL5-1602-1
Black Baffle
Satin Aluminum Flange



EDL5-1603-1
Bronze Baffle
Bronze Flange



Revised 10/24/2022

5" Eco-Downlight Baffle Downlight

Non-IC Adjustable New Construction Housing

Round or Square

Catalog #:

Type:

Project:

Date:

Notes:

Baffle Downlight Trim Order Matrix (Example: EDL5-1102-1)

Series	Aperture / Finish	Rev
EDL5	-1100 (Round / White Baffle / White Flange)	-1
	-1101 (Round / Black Baffle / White Flange)	
	-1102 (Round / Black Baffle / Satin Aluminum Flange)	
	-5100 ¹ (Round / White Baffle / Trimless)	
	-5101 ¹ (Round / Satin Aluminum Baffle / Trimless)	
	-5102 ¹ (Round / Bronze Baffle / Trimless)	
	-5103 ¹ (Round / Black Baffle / Trimless)	
	-2100 (Square / White Baffle / White Flange)	
	-2101 (Square / Black Baffle / White Flange)	
	-2102 (Square / Black Baffle / Satin Aluminum Flange)	

1. Requires trimless mud plate, must specify


Flush Mount Adapter

EDL5-RD-FMA (Round Flush Mount Adapter)
EDL5-SQ-FMA (Square Flush Mount Adapter)

Trimless Mud Plate


EDL5-RD-TR-1 (Round Trimless Mud Plate)

Dimensions




Trim Finishes


EDL5-1100-1
White Baffle
White Flange




EDL5-1101-1
Black Baffle
White Flange




EDL5-1102-1
Black Baffle
Satin Aluminum Flange




EDL5-5100-1
White Baffle




EDL5-5101-1
Satin Aluminum Baffle




EDL5-5102-1
Bronze Baffle




EDL5-5103-1
Black Baffle




EDL5-2100-1
White Baffle
White Flange



EDL5-2101-1
Black Baffle
White Flange



EDL5-2102-1
Black Baffle
Satin Aluminum Flange



Revised 10/24/2022

5" Eco-Downlight Shower / Wall Wash

Non-IC Adjustable New Construction Housing

Round or Square

Catalog #:

Type:

Project:

Date:

Notes:

Shower Trim Order Matrix (Example: EDL5-1200-1)

Series	Aperture / Finish	Rev
EDL5	-1200 (Round Shower Trim / White Flange)	-1
	-1201 (Round Shower Trim / Satin Aluminum Flange)	
	-2200 (Square Shower Trim / White Flange)	
	-2201 (Square Shower Trim / Satin Aluminum Flange)	

Flush Mount Adapter

EDL5-RD-FMA (Round Flush Mount Adapter)
EDL5-SQ-FMA (Square Flush Mount Adapter)

EDL5-1200-1
White Flange



EDL5-1201-1
White Flange




EDL5-2200-1
White Flange



EDL5-2201-1
White Flange



Dimensions




Wall Wash Order Matrix (Example: EDL5-1702-1)

Series	Aperture / Finish	Rev
EDL5	-1700 (Round / Single Wall Wash / White Flange)	-1
	-1701 (Round / Single Wall Wash / Satin Aluminum Flange)	
	-1702 (Round / Single Wall Wash / Bronze Flange)	
	-1800 (Round / Double Wall Wash / White Flange)	
	-1801 (Round / Double Wall Wash / Satin Aluminum Flange)	
	-1802 (Round / Double Wall Wash / Bronze Flange)	
	-2300 (Square / Single Wall Wash / White Flange)	
	-2301 (Square / Single Wall Wash / Satin Aluminum Flange)	
	-2400 (Square / Double Wall Wash / White Flange)	
	-2401 (Square / Double Wall Wash / Satin Aluminum Flange)	

Flush Mount Adapter

EDL5-RD-FMA (Round Flush Mount Adapter)
EDL5-SQ-FMA (Square Flush Mount Adapter)

Dimensions




Trim Finishes


EDL5-1700-1
Single Wall Wash
White Flange




EDL5-1701-1
Single Wall Wash
Satin Aluminum Flange




EDL5-1702-1
Single Wall Wash
Bronze Flange




EDL5-1800-1
Double Wall Wash
White Flange



EDL5-1801-1
Double Wall Wash
Satin Aluminum Flange




EDL5-1802-1
Double Wall Wash
Bronze Flange



EDL5-2300-1
Single Wall Wash
White Flange




EDL5-2301-1
Single Wall Wash
Satin Aluminum Flange



EDL5-2400-1
Double Wall Wash
White Flange



EDL5-2401-1
Double Wall Wash
Satin Aluminum Flange



Revised 10/24/2022