

3" Eco-Downlight



Shallow IC Air-Tight New Construction Housing

Round or Square

| Wattage | CCT | Delivered Lumens | Efficacy |
|---------|-------|------------------|----------|
| 13W | 2700K | 1000lm | 77lpw |
| 13W | 3000K | 1200lm | 92lpw |
| 13W | 3500K | 1300lm | 100lpw |

Lumens will vary depending on optic, finish & trim type

Dimensions



Field Cuttable
Ceiling Cut-out: 3-7/8" Ø

LED Light Engine

- 13W LED with 2700K, 3000K or 3500K @ 90 CRI
- 2 SDCM binning
- 50,000 hours at 70% lumen maintenance (L70)

Field Replaceable Dimming Driver

- Universal ELV / Triac / 0-10V driver with 120-277V input
- Remote Lutron Hi-Lume® 2-Wire 1% 120V

Optics

50° flood optic included (10°, 30° and 80° optic are available, must specify)

Housing

- Aluminum air-tight housing with black power coat finish (Note: polycell spray-in foam insulation must be kept 3" from housing)
- Cold rolled steel junction box with black anodized finish, (4) 1/2" and (4) 3/4" trade size knockouts

Mounting

- Includes (2) galvanized steel adjustable bar hangers
- Accommodates ceiling thickness up to 1"

Trim

- Available in round or square aluminum trim, consult factory for custom finishes
- Available in open reflector, baffle, shower or wall wash trims
- Flush mount adapter and trimless mud plate available

Accessories

Accommodates (2) accessories, a media holder is required.

Emergency

Remote inverter operates for 90 minutes with remote test switch available, requires above ceiling access.

Listing/Warranty

- Five (5) year limited warranty
- UL listed to US and Canadian standards for damp locations (wet location when used with shower trim)
- Meets ASTM E283 standards
- CEC (Title 24) Listed when used with reflector or baffle



Housing Order Matrix (Example: EDL-SIC-27-5)

| Installation Type | CCT / CRI | Rev | Wattage / Driver |
|---------------------|-----------------------------|-----------|---|
| EDL-SIC (IC) | -27 (2700K / 90 CRI) | -5 | (blank) ¹ (13W / ERP, Universal Dim, Triac/ELV/0-10V 10% 120-277V) |
| | -30 (3000K / 90 CRI) | | -LR1 (13W / Remote Lutron Hi-lume® 2-Wire 1% 120V) |
| | -35 (3500K / 90 CRI) | | |

1. Forward and reverse phase dimming at 120V only

Accessories (Note: Media holder required)

| | |
|--------------------|---------------------------|
| EDL-MHLDR-4 | (Media Holder - required) |
| EDL-FT-4 | (Frosted Lens) |
| EDL-MP-4 | (Solite Lens) |
| EDL-CL-4 | (Clear Lens) |
| EDL-LN-4 | (Linear Spread Lens) |

Optics

| | |
|-----------------------|--------------------|
| EDL-10-OPTIC-5 | (10° Spot) |
| EDL-30-OPTIC-4 | (30° Narrow Flood) |
| EDL-50-OPTIC-4 | (50° Flood) |
| EDL-80-OPTIC-4 | (80° Wide Flood) |

Emergency

| | |
|----------------|-----------------------------------|
| EM-1000 | (25W LED Remote Inverter) |
| EM-1002 | (10W LED Remote Emergency Driver) |
| EM-1003 | (35W LED Remote Inverter) |
| EM-1004 | (50W LED Remote Inverter) |

3" Eco-Downlight Open Reflector

Shallow IC Air-Tight New Construction Housing

Round or Square

Catalog #:

Type:

Project:

Date:


Notes:

Open Reflector Trim Order Matrix (Example: EDL-1002-4)

| Series | Aperture / Finish | Rev |
|--------|--|-----|
| EDL | -1000 (Round / Clear Alzak Reflector / White Flange) | -4 |
| | -1001 (Round / Black Alzak Reflector / White Flange) | |
| | -1002 (Round / Clear Alzak Reflector / Satin Aluminum Flange) | |
| | -1003 (Round / Black Alzak Reflector / Satin Aluminum Flange) | |
| | -1004 (Round / Haze Reflector / White Flange) | |
| | -1005 (Round / Haze Reflector / Satin Aluminum Flange) | |
| | -1006 (Round / White Reflector / White Flange) | |
| | -1007 (Round / Bronze Reflector / Bronze Flange) | |
| | -5000 ¹ (Round / White Reflector / Trimless) | |
| | -5001 ¹ (Round / Satin Aluminum Reflector / Trimless) | |
| | -5002 ¹ (Round / Bronze Reflector / Trimless) | |
| | -5003 ¹ (Round / Black Reflector / Trimless) | |
| | -2000 (Square / White Reflector / White Flange) | |
| | -2001 (Square / Black Reflector / White Flange) | |
| | -2002 (Square / Haze Reflector / White Flange) | |
| | -2003 (Square / Black Reflector / Satin Aluminum Flange) | |
| | -2004 (Square / Haze Reflector / Satin Aluminum Flange) | |
| | -2005 (Square / Bronze Reflector / Bronze Flange) | |

1. Requires trimless mud plate, must specify

Dimensions




Flush Mount Adapter

EDL-RD-FMA (Round Flush Mount Adapter)
EDL-SQ-FMA (Square Flush Mount Adapter)


Trimless Mud Plate

EDL-RD-TR-4 (Round Trimless Mud Plate)


EDL-1000-4 Clear Alzak Reflector White Flange
 EDL-1001-4 Black Alzak Reflector White Flange
 EDL-1002-4 Clear Alzak Reflector Satin Aluminum Flange
 EDL-1003-4 Black Alzak Reflector Satin Aluminum Flange




EDL-1004-4 Haze Reflector White Flange
 EDL-1005-4 Haze Reflector Satin Aluminum Flange
 EDL-1006-4 White Reflector White Flange
 EDL-1007-4 Bronze Reflector Bronze Flange



EDL-5000-4 White Reflector
 EDL-5001-4 Satin Aluminum Reflector
 EDL-5002-4 Bronze Reflector
 EDL-5003-4 Black Alzak Reflector



EDL-2000-4 White Reflector White Flange
 EDL-2001-4 Black Reflector White Flange
 EDL-2002-4 Haze Reflector White Flange
 EDL-2003-4 Black Reflector Satin Aluminum Flange
 EDL-2004-4 Haze Reflector Satin Aluminum Flange
 EDL-2005-4 Bronze Reflector Bronze Flange



Revised 05/14/18

3" Eco-Downlight Baffle Downlight

Shallow IC Air-Tight New Construction Housing

Round or Square

Catalog #:

Type:

Project:

Date:


Notes:

Baffle Downlight Trim Order Matrix (Example: EDL-1102-4)

| Series | Aperture / Finish | Rev |
|--------|---|-----|
| EDL | -1100 (Round / White Baffle / White Flange) | -4 |
| | -1101 (Round / Black Baffle / White Flange) | |
| | -1102 (Round / Black Baffle / Satin Aluminum Flange) | |
| | -1103 (Round / Bronze Baffle / Bronze Flange) | |
| | -5100 ¹ (Round / White Baffle / Trimless) | |
| | -5101 ¹ (Round / Satin Aluminum Baffle / Trimless) | |
| | -5102 ¹ (Round / Bronze Baffle / Trimless) | |
| | -5103 ¹ (Round / Black Baffle / Trimless) | |
| | -2100 (Square / White Baffle / White Flange) | |
| | -2101 (Square / Black Baffle / White Flange) | |
| | -2102 (Square / Black Baffle / Satin Aluminum Flange) | |
| | -2103 (Square / Bronze Baffle / Bronze Flange) | |

1. Requires trimless mud plate, must specify

Dimensions



Flush Mount Adapter

EDL-RD-FMA (Round Flush Mount Adapter)
EDL-SQ-FMA (Square Flush Mount Adapter)

Trimless Mud Plate


EDL-RD-TR-4 (Round Trimless Mud Plate)

Trim Finishes


EDL-1100-4
White Baffle
White Flange



EDL-1101-4
Black Baffle
White Flange




EDL-1102-4
Black Baffle
Satin Aluminum Flange




EDL-1103-4
Bronze Baffle
Bronze Flange



EDL-5100-4
White Baffle




EDL-5101-4
Satin Aluminum Baffle



EDL-5102-4
Bronze Baffle



EDL-5103-4
Black Baffle



EDL-2100-4
White Baffle
White Flange




EDL-2101-4
Black Baffle
White Flange



EDL-2102-4
Black Baffle
Satin Aluminum Flange



EDL-2103-4
Bronze Baffle
Bronze Flange



Revised 05/14/18

3" Eco-Downlight Shower / Wall Wash

Shallow IC Air-Tight New Construction Housing

Round or Square

Catalog #:

Type:

Project:


Date:

Notes:

Shower Trim Order Matrix (Example: EDL-1201-4)

| Series | Aperture / Finish | Rev |
|--------|--|-----|
| EDL | -1200 (Round Shower Trim / White Flange) | -4 |
| | -1201 (Round Shower Trim / Satin Aluminum Flange) | |
| | -2200 (Square Shower Trim / White Flange) | |
| | -2201 (Square Shower Trim / Satin Aluminum Flange) | |

Dimensions



Flush Mount Adapter

EDL-RD-FMA (Round Flush Mount Adapter)
EDL-SQ-FMA (Square Flush Mount Adapter)

EDL-1200-4
White Flange

EDL-1201-4
Satin Aluminum Flange

EDL-2200-4
White Flange


EDL-2201-4
Satin Aluminum Flange



Wall Wash Order Matrix (Example: EDL-1702-4)

| Series | Aperture / Finish | Rev |
|--------|---|-----|
| EDL | -1700 (Round / Single Wall Wash / White Flange) | -4 |
| | -1701 (Round / Single Wall Wash / Satin Aluminum Flange) | |
| | -1702 (Round / Single Wall Wash / Bronze Flange) | |
| | -1800 (Round / Double Wall Wash / White Flange) | |
| | -1801 (Round / Double Wall Wash / Satin Aluminum Flange) | |
| | -1802 (Round / Double Wall Wash / Bronze Flange) | |
| | -2300 (Square / Single Wall Wash / White Flange) | |
| | -2301 (Square / Single Wall Wash / Satin Aluminum Flange) | |
| | -2302 (Square / Single Wall Wash / Bronze Flange) | |
| | -2400 (Square / Double Wall Wash / White Flange) | |
| | -2401 (Square / Double Wall Wash / Satin Aluminum Flange) | |
| | -2402 (Square / Double Wall Wash / Bronze Flange) | |

Dimensions



Flush Mount Adapter

EDL-RD-FMA (Round Flush Mount Adapter)
EDL-SQ-FMA (Square Flush Mount Adapter)

Trim Finishes

EDL-1700-4
Single Wall Wash
White Flange







EDL-1701-4
Single Wall Wash
Satin Aluminum Flange

EDL-1702-4
Single Wall Wash
Bronze Flange

EDL-1800-4
Double Wall Wash
White Flange

EDL-1801-4
Double Wall Wash
Satin Aluminum Flange

EDL-1802-4
Double Wall Wash
Bronze Flange



EDL-2300-4
Single Wall Wash
White Flange



EDL-2301-4
Single Wall Wash
Satin Aluminum Flange

EDL-2302-4
Single Wall Wash
Bronze Flange

EDL-2400-4
Double Wall Wash
White Flange

EDL-2401-4
Double Wall Wash
Satin Aluminum Flange

EDL-2402-4
Double Wall Wash
Bronze Flange



Revised 05/14/18