

STANDARD

Aluminum Shade
with Glass and Guard Options

Catalog #:

Project:

Type:

Date:

Notes:

Electrical

- 120V input (277V available in arm and post option only)
- Integrated power supply allows the fixture to be connected directly into line voltage
- Pre-wired and ready for install
- LED is dimmable with Incandescent/Triac dimmers

Mounting

- 1/2" or 3/4" IP for arms. Flush mount, stems and post available only in 1/2"
- 9' Pendant cord available in black or white cord (includes 5" canopy with the same finish as the shade)

Finishes


- Shade and mounting finish options
- Available in 21 standard and 2 specialty finishes with optional coastal coating to protect finish in coastal environments (add "-C" to the finish)
- Inner shade is painted gloss white
- Consult factory for custom finish options

Optional Accessories

- Glass, Cast Guard, Wire Cage or Wire Guard options available

Listing

UL listed to US and Canadian standards for wet locations



Standard Order Matrix (Example: RS16MBK-2)

Diameter	Lamp	Finish	Coastal Coating Option	Optional Accessories	Mounting Type
RS16 (16")	M (Medium Base, 100W max.)	ABL Aegean Blue	(blank) (No coating)	-CG (Clear Glass)	-2 (1/2" IP)
	GU2413 ¹ (13W GU24 / 2700K)	BB (Burnished Bronze)	-C (Coating)	-FG (Frosted Glass)	-3 (3/4" IP)
	GU2418 ¹ (18W GU24 / 2700K)	BK (Gloss Black)		-CGG (Clear Glass w/ Cast Guard)	-B (Black Cord Pendant)
	GU2426 ¹ (26W GU24 / 2700K)	BLU (Blue)		-FGG (Frosted Glass w/ Cast Guard)	-W (White Cord Pendant)
	GU2432 ^{1,2} (32W GU24 / 2700K)	DVG (Dove Gray)		-CGWC (Clear Glass w/ Wire Cage)	-F (Flush Mount)
	GU2442 ^{1,2} (42W GU24 / 2700K)	FLG (Flannel Gray)		-FGWC (Frosted Glass w/ Wire Cage)	
	LED1227 ^{1,3,4} (12W LED / 2700K / 90 CRI / 844lm)	GA (Galvanized)		-WG (Wire Guard)	
	LED1230 ^{1,3,4} (12W LED / 3000K / 90 CRI / 861lm)	LG (Lime Green)			
	LED1235 ^{1,3,4} (12W LED / 3500K / 90 CRI / 872lm)	MB (Matte Black)			
	LED1240 ^{1,3,4} (12W LED / 4000K / 90 CRI / 889lm)	MBL (Midnight Blue)			
	LED1827 ^{1,3,4} (18W LED / 2700K / 90 CRI / 1265lm)	PNA (Painted Natural Aluminum)			
	LED1830 ^{1,3,4} (18W LED / 3000K / 90 CRI / 1288lm)	PNC (Painted Natural Copper)			
	LED1835 ^{1,3,4} (18W LED / 3500K / 90 CRI / 1311lm)	RD (Red)			
	LED1840 ^{1,3,4} (18W LED / 4000K / 90 CRI / 1334lm)	SGR (Sage Green)			
		SGW (Semi Gloss White)			
		SND (Sand)			
		SS (Satin Silver)			
	TBZ (Textured Bronze)				
	TGP (Textured Graphite)				
	TNG (Tangerine)				
	TTL (Tahitian Teal)				
	WT (Gloss White)				
	YEL (Yellow)				

1. Lamps must be specified, and are not included in shade cost
2. Not for use in glass/cast guard/wire cage
3. Glass enclosure must be specified
4. Lumen are raw LED value

KEY: Standard Finishes

ABL (Aegean Blue)	LG (Lime Green)	SGR (Sage Green)
BB (Burnished Bronze)	MB (Matte Black)	SGW (Semi Gloss White)
BK (Gloss Black)	MBL (Midnight Blue)	SND (Sand)
BLU (Blue)	PNA (Painted Natural Aluminum)	SS (Satin Silver)
DVG (Dove Gray)	PNC (Painted Natural Copper)	TBZ (Textured Bronze)
FLG (Flannel Gray)	RD (Red)	TGP (Textured Graphite)

Specialty Finishes

TNG (Tangerine)	GA (Galvanized)
TTL (Tahitian Teal)	
WT (Gloss White)	
YEL (Yellow)	

Spec-00040 Revised 05/07/2020

14508 Nelson Ave. City of Industry, CA 91744 • tel: 626.336.4511 • fax: 626.330.4266 • www.TroyRLM.com
©2020 Troy-RLM Lighting, A Division of Troy-CSL Lighting, Inc. All rights reserved. Subject to change without notice.



STANDARD

Aluminum Shade with Glass and Guard Options

Catalog #:

Project:

Date:


Type:

Notes:



Glass Enclosure

- Glass is available in clear (-CG) and frosted (-FG)




Wire Cage with Glass Enclosure

- Wire cage can be specified in all standard and specialized finishes, and will match shade finish unless otherwise specified (Note: For galvanized shade finishes, wire cage is finished in Painted Natural Aluminum)
- Glass is available in clear (-CGWC) and frosted (-FGWC)



Cast Guard with Glass Enclosure

- Cast guard can be specified in all standard and specialized finishes, and will match shade finish unless otherwise specified (Note: For galvanized shade finishes, cast guard is unfinished Raw Aluminum)
- Glass is available in clear (-CGG) and frosted (-FGG)



Wire Guard (-WG)

- Wire cage can be specified in all standard and specialized finishes, and will match shade finish unless otherwise specified (Note: For galvanized shade finishes, wire guard is finished in Painted Natural Aluminum)

STANDARD

Aluminum Shade
with Glass and Guard Options

Catalog #:

Project:

Date:

Type:

Notes:

Arm Mount Order Matrix (Example: 3SL23BK)

Pipe	Arm Type	Finish	Coastal Coating Option	Input Voltage
2 (1/2" IP)	SL23 (Small Loop - 23")	ABL (Aegean Blue)	(blank) (No coating)	(blank) (120V)
3 (3/4" IP)	SL30 (Small Loop - 30")	BB (Burnished Bronze)	-C (Coating)	-27 (277V)
	LL23 (Large Loop - 23")	BK (Gloss Black)		
	LL30 (Large Loop - 30")	BLU (Blue)		
	LC18 (Curve Arm - 18")	DVG (Dove Gray)		
	LC24 (Curve Arm - 24")	FLG (Flannel Gray)		
	LC30 (Curve Arm - 30")	GA (Galvanized)		
	LM18 (Miter Arm - 18")	LG (Lime Green)		
	LM24 (Miter Arm - 24")	MB (Matte Black)		
	LM30 (Miter Arm - 30")	MBL (Midnight Blue)		
	SA18 (Sign Arm - 18")	PNA (Painted Natural Aluminum)		
	SA23 (Sign Arm - 23")	PNC (Painted Natural Copper)		
	LSA23 (Large Loop Sign Arm - 23")	RD (Red)		
	LSA30 (Large Loop Sign Arm - 30")	SGR (Sage Green)		
	A6 (Straight Arm - 6")	SGW (Semi Gloss White)		
	A12 (Straight Arm - 12")	SND (Sand)		
	A18 (Straight Arm - 18")	SS (Satin Silver)		
	A24 (Straight Arm - 24")	TBZ (Textured Bronze)		
	A30 (Straight Arm - 30")	TGP (Textured Graphite)		
	MA18 (Modern Arm - 18")	TNG (Tangerine)		
	MA24 (Modern Arm - 24")	TTL (Tahitian Teal)		
	MA30 (Modern Arm - 30")	WT (Gloss White)		
		YEL (Yellow)		


Standard Finishes

	ABL (Aegean Blue)		RD (Red)
	BB (Burnished Bronze)		SGR (Sage Green)
	BK (Gloss Black)		SGW (Semi Gloss White)
	BLU (Blue)		SND (Sand)
	DVG (Dove Gray)		SS (Satin Silver)
	FLG (Flannel Gray)		TBZ (Textured Bronze)
	LG (Lime Green)		TGP (Textured Graphite)
	MB (Matte Black)		TNG (Tangerine)
	MBL (Midnight Blue)		TTL (Tahitian Teal)
	PNA (Painted Natural Aluminum)		WT (Gloss White)
	PNC (Painted Natural Copper)		YEL (Yellow)

Specialty Finishes

	GA (Galvanized)
--	------------------------

Note: All arm mounts include canopy



Spec-00040 Revised 05/07/2020

14508 Nelson Ave. City of Industry, CA 91744 • tel: 626.336.4511 • fax: 626.330.4266 • www.TroyRLM.com
©2020 Troy-RLM Lighting, A Division of Troy-CSL Lighting, Inc. All rights reserved. Subject to change without notice.



STANDARD

Aluminum Shade with Glass and Guard Options

Catalog #:

Project:

Type:

Date:


Notes:

Knuckle Accessory Order Matrix (Example: 2KNLBK)

Pipe	Finish	Finish	Coastal Coating Option
2 (1/2" IP)	KNL (Adjustable 180° Knuckle for Arm Mounts)	ABL (Aegean Blue)	(blank) (No coating)
3 (3/4" IP)		BB (Burnished Bronze) BK (Gloss Black) BLU (Blue) DVG (Dove Gray) FLG (Flannel Gray) GA (Galvanized) LG (Lime Green) MB (Matte Black) MBL (Midnight Blue) PNA (Painted Natural Aluminum) PNC (Painted Natural Copper) RD (Red) SGR (Sage Green) SGW (Semi Gloss White) SND (Sand) SS (Satin Silver) TBZ (Textured Bronze) TGP (Textured Graphite) TNG (Tangerine) TTL (Tahitian Teal) WT (Gloss White) YEL (Yellow)	-C (Coating)

Description

Adjustable knuckle for arm mounts that allow luminaire to be rotated up to 180°.



KEY: Standard Finishes

ABL (Aegean Blue)	LG (Lime Green)	SGR (Sage Green)
BB (Burnished Bronze)	MB (Matte Black)	SGW (Semi Gloss White)
BK (Gloss Black)	MBL (Midnight Blue)	SND (Sand)
BLU (Blue)	PNA (Painted Natural Aluminum)	SS (Satin Silver)
DVG (Dove Gray)	PNC (Painted Natural Copper)	TBZ (Textured Bronze)
FLG (Flannel Gray)	RD (Red)	TGP (Textured Graphite)

Specialty Finishes

TNG (Tangerine)	GA (Galvanized)
TTL (Tahitian Teal)	
WT (Gloss White)	
YEL (Yellow)	

STANDARD

Aluminum Shade
with Glass and Guard Options

Catalog #:

Project:

Date:


Type:

Notes:

Post / Wall Mount Order Matrix (Example: 2W1BK)


Pipe	Mount Type	Finish	Input Voltage
2 (1/2" IP)	P1 (Single Post Mount) P2 (Double Post Mount) W1 (Traditional Wall Mount)	ABL (Aegean Blue)	(blank) (120V)
		BB (Burnished Bronze)	-27 ^s (277V)
		BK (Gloss Black)	
		BLU (Blue)	
		DVG (Dove Gray)	
		FLG (Flannel Gray)	
		GA (Galvanized)	
		LG (Lime Green)	
		MB (Matte Black)	
		MBL (Midnight Blue)	
		PNA (Painted Natural Aluminum)	
		PNC (Painted Natural Copper)	
		RD (Red)	
SGR (Sage Green)			
SGW (Semi Gloss White)			
SND (Sand)			
SS (Satin Silver)			
TBZ (Textured Bronze)			
TGP (Textured Graphite)			
TNG (Tangerine)			
TTL (Tahitian Teal)			
WT (Gloss White)			
YEL (Yellow)			

5. Post mount only



Post Type Order Matrix (Example: P8683-96BK)

Post Type	Finish
PM4946 (Cast Aluminum Post)	ABL (Aegean Blue)
P8683-96 (Cast Aluminum Base w/ 96" Aluminum Post)	BB (Burnished Bronze)
P8683-120 (Cast Aluminum Base w/ 120" Aluminum Post)	BK (Gloss Black)
P8684-96 (96" Straight Aluminum Post)	BLU (Blue)
P8684-120 (120" Straight Aluminum Post)	DVG (Dove Gray)
PM8685 (Cast Aluminum Pier Mount - must be used with straight aluminum post, P8684)	FLG (Flannel Gray)
	GA (Galvanized)
	LG (Lime Green)
	MB (Matte Black)
	MBL (Midnight Blue)
	PNA (Painted Natural Aluminum)
	PNC (Painted Natural Copper)
	RD (Red)
	SGR (Sage Green)
	SGW (Semi Gloss White)
	SND (Sand)
	SS (Satin Silver)
	TBZ (Textured Bronze)
	TGP (Textured Graphite)
	TNG (Tangerine)
	TTL (Tahitian Teal)
	WT (Gloss White)
	YEL (Yellow)



Note: Must be used with aluminum post (P8684)

Standard Finishes

ABL (Aegean Blue)	RD (Red)
BB (Burnished Bronze)	SGR (Sage Green)
BK (Gloss Black)	SGW (Semi Gloss White)
BLU (Blue)	SND (Sand)
DVG (Dove Gray)	SS (Satin Silver)
FLG (Flannel Gray)	TBZ (Textured Bronze)
LG (Lime Green)	TGP (Textured Graphite)
MB (Matte Black)	TNG (Tangerine)
MBL (Midnight Blue)	TTL (Tahitian Teal)
PNA (Painted Natural Aluminum)	WT (Gloss White)
PNC (Painted Natural Copper)	YEL (Yellow)

Specialty Finishes

GA (Galvanized)

Spec-00040 Revised 05/07/2020

14508 Nelson Ave. City of Industry, CA 91744 • tel: 626.336.4511 • fax: 626.330.4266 • www.TroyRLM.com
©2020 Troy-RLM Lighting, A Division of Troy-CSL Lighting, Inc. All rights reserved. Subject to change without notice.



STANDARD

Aluminum Shade
with Glass and Guard Options

Catalog #:

Project:


Type:

Date:

Notes:

Stem Mount Order Matrix (Example: 2HS18BK)

Pipe	Stem Length	Finish	Coastal Coating Option
2 (1/2" IP)	HS12 (12")	ABL (Aegean Blue)	(blank) (No coating)
	HS18 (18")	BB (Burnished Bronze)	-C (Coating)
	HS24 (24")	BK (Gloss Black)	
	HS36 (36")	BLU (Blue)	
	HS48 (48")	DVG (Dove Gray)	
	HS_ (Custom length from 2" up to 60")	FLG (Flannel Gray)	
		GA (Galvanized)	
		LG (Lime Green)	
		MB (Matte Black)	
		MBL (Midnight Blue)	
		PNA (Painted Natural Aluminum)	
		PNC (Painted Natural Copper)	
		RD (Red)	
		SGR (Sage Green)	
	SGW (Semi Gloss White)		
	SND (Sand)		
	SS (Satin Silver)		
	TBZ (Textured Bronze)		
	TGP (Textured Graphite)		
	TNG (Tangerine)		
	TTL (Tahitian Teal)		
	WT (Gloss White)		
	YEL (Yellow)		



Stem mounts can be used for sloped ceiling up to 30°

Note: All stems include 2-3/8" canopy and ball swivels

KEY: Standard Finishes

ABL (Aegean Blue)	LG (Lime Green)	SGR (Sage Green)
BB (Burnished Bronze)	MB (Matte Black)	SGW (Semi Gloss White)
BK (Gloss Black)	MBL (Midnight Blue)	SND (Sand)
BLU (Blue)	PNA (Painted Natural Aluminum)	SS (Satin Silver)
DVG (Dove Gray)	PNC (Painted Natural Copper)	TBZ (Textured Bronze)
FLG (Flannel Gray)	RD (Red)	TGP (Textured Graphite)

Specialty Finishes

TNG (Tangerine)	GA (Galvanized)
TTL (Tahitian Teal)	
WT (Gloss White)	
YEL (Yellow)	